TRIPOR 204 COMPONENT A

Page: 1

Compilation date: 16/05/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TRIPOR 204 COMPONENT A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Production of rigid polyurethane foam

1.3. Details of the supplier of the safety data sheet

Company name: Trident Foams Ltd

BKB House

Goyt Valley Industrial Estate

Furness Vale

High Peak

SK23 7SN

United Kingdom

Tel: 01663 740 120

Fax: 01663 740 121

Email: technical@tridentfoams.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 **Classification under CHIP:** This product has no classification under CHIP.

2.2. Label elements

Label elements:

Hazard statements:	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark



Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.

P302+352: IF ON SKIN: Wash with plenty of water/.

TRIPOR 204 COMPONENT A

Page: 2

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instructions on this label).

P330: Rinse mouth.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

TCPP - REACH registered number(s): 01-2119447716-31

EINECS	CAS	CHIP Classification	CLP Classification	Percent
237-158-7	13674-84-5	Xn: R22	Acute Tox. 4: H302	1-10%
TEGOAMIN DMCHA - REACH registered number(s): 01-2119533030-60				
202-715-5	98-94-2	-: R10; C: R34; T: R23/24/25; N:	Flam. Liq. 3: H226; Acute Tox. 3:	<1%

	-: R10; C: R34; T: R23/24/25; N:	Flam. Liq. 3: H226; Acute Tox. 3:	<1%
	R51/53	H301; Skin Corr. 1B: H314; Aquatic	
		Chronic 2: H411; Acute Tox. 3: H311;	
		Acute Tox. 3: H331	

Section 4: First aid measures		
4.1. Description of first aid m	ieasures	
Skin contact:	Wash immediately with plenty of soap and water.	
	Bathe the eye with running water for 15 minutes.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water	
	to drink immediately. Transfer to hospital as soon as possible.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a	
	doctor.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	There may be mild irritation at the site of contact.	
	There may be irritation and redness.	
	There may be soreness and redness of the mouth and throat. There may be difficulty	
	swallowing. Nausea and stomach pain may occur. There may be vomiting.	
Inhalation:	Absorption through the lungs can occur causing symptoms similar to those of ingestion.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
4.3. Indication of any immediate medical attention and special treatment needed		

Immediate / special treatment: Not applicable.

TRIPOR 204 COMPONENT A

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

TRIPOR 204 COMPONENT A

Page: 4

DNEL/PNEC Values

Hazardous ingredients:

TEGOAMIN DMCHA

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	35mg/m3	Workers	Systemic
PNEC	Fresh water	0.002 mg/l	-	-
PNEC	Marine water	0.0002 mg/l	-	-
PNEC	Fresh water sediments	0.0211 mg/kg	-	-
PNEC	Marine sediments	0.00211 mg/kg	-	-
PNEC	Soil (agricultural)	0.00305 mg/kg	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Slight amine.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

TRIPOR 204 COMPONENT A

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

TCPP

ORAL	RAT	LD50	>2800	ma/ka
-				3.3

TEGOAMIN DMCHA

IHL	RAT	LC50	5.8	mg/l
ORL	RAT	LD50	272	mg/kg
SKN	RBT	LD50	380	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

TCPP

FISH 96H LC50 47 mg/l

TEGOAMIN DMCHA

FISH	96H LC50	32	mg/l
Daphnia magna	48H EC50	75	mg/l
Scenedesmus Subspicatus	72H ErC50	2	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

TRIPOR 204 COMPONENT A

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Waste code number: 07 02 08

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H226: Flammable liquid and vapour.
	H301: Toxic if swallowed.
	H302: Harmful if swallowed.
	H311: Toxic in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.

TRIPOR 204 COMPONENT A

Page: 7 H319: Causes serious eye irritation. H331: Toxic if inhaled. H411: Toxic to aquatic life with long lasting effects. R10: Flammable. R22: Harmful if swallowed. R23/24/25: Toxic by inhalation, in contact with skin and if swallowed. R34: Causes burns. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.